

FIG. 4A

SEND VERSION-t NODE KEY TO DEVICES 0, 1, AND 2

VERSION: t	
INDEX	ENCRYPTED KEY
0	Enc(K(t)0, K(t)R)
00	Enc(K(t)00, K(t)0)
000	Enc(K000, K(t)00)
001	Enc(K(t)001, K(t)00)
0010	Enc(K0010, K(t)001)

FIG. 4B

SEND VERSION-t NODE KEY TO DEVICES 0, 1, AND 2

VERSION: t	
INDEX	ENCRYPTION KEY
000	Enc(K000, K(t)00)
001	Enc(K(t)001, K(t)00)
0010	Enc(K0010, K(t)001)





FIG. 6

			l
201~	VERSION	DEPTH	~202
203~	DATA POINTER	TAG POINTER	~204
205~	SIGNATURE POINTER	RESERVED	
	DATA PART (206	
	TAG PART ({	~207	
	SIGNATURE		






FIG. 9





FIG. 10







FIG. 12






FIG. 14




FIG. 15

START-UP FILE

TRANSACTION ID (TID)

CONTENT ID (CID)

USAGE RIGHT
INFORMATION ID (UID)

SERVICE ID


CONTENT SERVER URL


LICENSE SERVER URL


GOODS URL


AUDITION OR
PURCHASE


FIG. 16















FIG. 22










FIG. 24







igoplus : EXCLUSIVE OR PROCESS (IN UNITS OF 8 BYTES)







FIG. 28






FIG. 29

FIG. 30A




FIG. 30B




FIG. 31




FIG. 32




FIG. 33




FIG. 34

